

TEST REPORT

AB-2015-T

26260546

06-26

SAMPLE INFORMATION

Report No / Rev No: 26260546 / 0
Sample Acceptance Date: 20.05.2026
Analysis Start / Finish Date: 20.05.2026 / 1.06.2026
Sample Description: The Kinder Clean
Amount: 2 Packs
Production Date: -
Expiration Date: -
Serial No / Lot No: 260222-1-0

CUSTOMER INFORMATION

Applicant: SAPRO TEMİZLİK ÜRÜNLERİ SAN. VE TİC. A.Ş.
Adress: ORTAKÖY MAH. İLTER BULVARI NO:27 34592 SİLİVRİ/İSTANBUL
Related Person: Birce SÜZEN
Contact: birce.suzen@sapro.com.tr

Explanation: The test evaluations in this report have been made according to the "ISO 17516 Cosmetics - Microbiology - Microbiological limits".
The sample was evaluated considering the intended use scenario of "contact with a baby's mouth." The migration results of the analyzed elements were found to comply with the reference limits specified for Category II (Liquid or Sticky Materials) in EN 71-3:2019+A2:2024, indicating that the product is suitable for its intended use in this respect.

Seal

Sample Acceptance and Reporter
Büşra ALBAYRAK

Laboratory Manager
Alaettin ÖZDEMİR

Date



1.06.2026

TEST RESULTS

The following analyzes have been made in line with the customer request.

Analysis	Unit	Result	LOQ	M.U.	Method	Limit	Evaluation
Determination of Migration of Certain Elements	mg/kg	-	-	-	EN 71-3	-	-
- Lead	mg/kg	Not Detected	-	-	EN 71-3	0.5	P
- Cadmium	mg/kg	Not Detected	-	-	EN 71-3	0.3	P
- Arsenic	mg/kg	Not Detected	-	-	EN 71-3	0.9	P
- Mercury	mg/kg	Not Detected	-	-	EN 71-3	1.9	P
- Nickel	mg/kg	Not Detected	-	-	EN 71-3	18.8	P
- Antimony	mg/kg	Not Detected	-	-	EN 71-3	11.3	P
- Aluminum	mg/kg	Not Detected	-	-	EN 71-3	560	P
- Chromium VI	mg/kg	Not Detected	-	-	EN 71-3	0.005	P
*Aerobic Colony Count	cfu/g	<10	10	-	TS EN ISO 21149	1000	P
*Enumeration of yeast and mould	cfu/g	<10	10	-	TS EN ISO 16212	1000	P
*Escherichia coli	g	Not Detected	-	-	TS EN ISO 21150	Absent	P
*Staphylococcus aureus	g	Not Detected	-	-	TS EN ISO 22718	Absent	P
*Detection of Pseudomonas aeruginosa	g	Not Detected	-	-	TS EN ISO 22717	Absent	P
*Candida albicans	g	Not Detected	-	-	TS EN ISO 18416	Absent	P

Notes:

1. P: Pass, F: Fail, NE: Not Evaluated
2. LOQ: Detection Limit
3. Analyzes marked with "*" are included in our scope accredited by TRKAK according to TS EN ISO/IEC 17025.
4. Unsigned and unsealed Analysis Reports are invalid.
5. Sampling is not done by us.
6. The test results are valid for the above-mentioned sample. It may not represent the lot to which the sample belongs.
7. Decision Rule: The customer has stated that he wants to make a declaration of conformity "without measurement uncertainty". The decision rule for the suitability assessment for microbiological analyses is applied without taking into account the measurement uncertainty.
8. The descriptive information included in the test report that affects the validity of the results has been declared by the customer. Our laboratory is not responsible for the accuracy of this information and any losses/legal obligations that may occur due to its use.
9. This Analysis Report may not be partially copied, reproduced or used for any other purpose without the written consent of Unique Analiz Belgelendirme ve Gzetim Hizmetleri Ltd. Őti..

*** End of Report ***